



000030434

INTEROFFICE CORRESPONDENCE

DATE:

May 17, 1994

TO:

T. d. Beckman, ERM/Solar Pond Projects, Bldg. 080, X8725 A Becke Comments

FROM:

SUBJECT: SALT-BUSTER DEMONSTRATION - TdB-026-94

DOE Order: 6430.1A

A demonstration of the Salt-Buster was performed on April 22, 1994 at the Vac-n-Jet facility located at 44th Ave. and McIntyre. The demonstration began at 9:00 a.m. and concluded at 10:45 a.m. The DOE Surveillance Report attachment 1 is representing the collection of all pertinent observations about the Salt-Buster.

The following personnel were in attendance:

S. R. Keith

EG&G Solar Pond Projects

T. d. Beckman

EG&G Solar Pond Projects (ASRP Project Manager)

E. Blush

EG&G Radiological Engineering

D. Chojnacki N. Candido

EG&G Safety Representative EG&G Industrial Hygiene Representative

L. A. Collins

EG&G SPP ASRP

A. Smith

自己的主题 (1997)。 13. 可提供的

EG&G Maintenance Planning

V. Valencia

EG&G SPP Procedures Development

M. Witherill

DOE Rocky Flat Field Office

Robert Geier

Vac-n-Jet

Numerous operability attributes were verified during the demonstration. The attributes, verification results, and follow-up requirements are defined in attachment 2.

Based on all observations of the capabilities of the salt-buster, there is no anticipated need to place operators in the Pond to perform size reduction of salt crystals.

This concurrence memo satisfies the requirements for the Special Assessment Checklist item 5.06. All follow-up requirements are being included into the SPP Action Tracking Matrix.

The following individuals have witnessed the Salt-Buster demonstration and have concurred with granting a Conditional Approval for Salt-Buster operations.

J. B. Mellen May 17, 1994 TdB-026-94 Page 2

T. d. Beckman

ASRP Project Manager

POT/ S. BLOUNH

Radiological Engineering

N. Candido

Industrial Hygiene

D. Chójnacki

Safety

L. A. Collins ASRP Project Administrator

jlb

Attachments: As Stated

cc:

R. W. Boyle D. S. Brown S. R. Keith T. D. Schmidt

ERM Records Center (2)

M. Witherill

/DOE REFO

not required, per discussion w/M. Witherill—TdB, 20 May 94